




FIG. 1





03/28

FIG.3



27

FIG. 4




FIG. 5




FIG. 6




FIG. 7

DISK DRIVE CONTROL

QUICK/QUIET DRIVE CONTROL

QQTM

NOISE LEVEL

POWER CONSUMPTION

☐ POWER SAVER MODE

OK CANCEL APPLY

FIG.8

—DISK DRIVE CONTROL

—QUICK/QUIET DRIVE CONTROL™

9	SEEK TIME
6	NOISE LEVEL
2	POWER CONSUMPTION


☐ POWER SAVER MODE

OK CANCEL APPLY

08/28


09/28

FIG. 9



10/28

FIG. 10A



10

FIG. 10B

11/28




FIG. 11




FIG. 12




FIG. 13


PRIOR ART

FIG. 14




FIG. 15




FIG. 16




FIG.17




FIG18




FIG. 19




FIG. 20




FIG. 21




PV CURVES FOR 100, 500,
AND 1000 TRACK MOVES

FIG. 22

NORMALIZED PV CURVES FOR 100,
500, 1000, 3000 TRACK MOVES





VOLTAGE INPUT TO RIGID BODY
MODEL FOR 3000 TRACK MOVE




FIG.24




FIG.25




FIG.26




FIG.27





FIG.28







FIG.31




FIG.32




FIG.33

27/28




FIG.34




FIG.35

